



Compact, Rugged, and Durable



RATE-OF-FIRE COMPUTER TYPE 807

The Rate-of-Fire Computer Type 807 is a compact and rugged unit that measures the rate of fire of automatic weapons. The unit can be used with live rounds or blanks, and every aspect of the design is made to improve the ease with which firing can be measured.

HARDWARE/SOFTWARE

- **Echo Rejection** is achieved by setting the maximum rate of fire – retaining the validity of the results.
- **Sensitivity** of the acoustic trigger can be set to allow for blanks and large calibre.
- **Built-in Battery** comes with a fast charger, and allows for portability.

COMPACT AND RUGGED

SPECIFICATION

HARDWARE	
Display Information	<ul style="list-style-type: none"> • Round Count • Rate of Fire • Battery Status
Rate of Fire	500-10 000 rpm
POWER/COMMS	
Power	100V-240V AC (30VA)
ENVIRONMENT	
Operating Temperature	0°C - 50°C [32 °F - 122 °F]
DIMENSIONS	
L x W x H	220mm x 130mm x 90mm [8.7in x 5.1in x 3.5in]


USED WITH



Acoustic Detector Type 588



Universal Weapon Rest Type 681-600



MS INSTRUMENTS Range Consultancy

Precision, Expertise, Quality

- Professional Bespoke Range Designs
- State-of-the-Art Product Rendering
- Only the Latest Standards



MS Instruments Ltd.

Unit 4, Ravensquay Business Centre, Cray Avenue
Orpington, Kent, BR5 4BQ, United Kingdom
Tel: +44 (0)1689 883 020
Fax: +44 (0)1689 871 392
contact@msinstruments.co.uk
www.msinstruments.co.uk

ISO 9001 SCS cert. No. 980010
807-rate-of-firecomputer - Jul-17

The information in this document is correct at the stated time. MS Instruments Ltd has a policy of continuing development and reserves the right to make design changes/improvements to the products.